




Delta-Ring

Person Responsible:
Sergio Parzani

Date:
23/09/2017

Seats for Valves / Soft Insert Sets / Elasthomeric Delta-Ring with a hardness of 98 Sh



Code	Compound	Size (ID X h X c)	Note
PDELT015048GLT98NED	GLT-S Nero / Black 95 ±5 Norsok M-710 (TR10-30°C)	DELTA 48.00X5.50X6.50	DN 1,5"=Seats for Valves / Soft insert seats / Elasthomeric Delta-Ring with a hardness of 98 Sh
PDELT020585GLT98NED	GLT-S Nero / Black 95 ±5 Norsok M-710 (TR10-30°C)	DELTA 58.50X5.50X6.50	DN 2"=Seats for Valves / Soft insert seats / Elasthomeric Delta-Ring with a hardness of 98 Sh
PDELT030882GLT98NED	GLT-S Nero / Black 95 ±5 Norsok M-710 (TR10-30°C)	DELTA 88.20X5.50X6.50	DN 3"=Seats for Valves / Soft insert seats / Elasthomeric Delta-Ring with a hardness of 98 Sh
PDELT040106GLT98NED	GLT-S Nero / Black 95 ±5 Norsok M-710 (TR10-30°C)	DELTA 106.00X5.50X6.50	DN 4"=Seats for Valves / Soft insert seats / Elasthomeric Delta-Ring with a hardness of 98 Sh
PDELT040113GLT98NED	GLT-S Nero / Black 95 ±5 Norsok M-710 (TR10-30°C)	DELTA 113.00X5.50X6.50	DN 4"=Seats for Valves / Soft insert seats / Elasthomeric Delta-Ring with a hardness of 98 Sh
PDELT041175GLT98NED	GLT-S Nero / Black 95 ±5 Norsok M-710 (TR10-30°C)	DELTA 117.50X5.50X6.50	DN 4"=Seats for Valves / Soft insert seats / Elasthomeric Delta-Ring with a hardness of 98 Sh
PDELT060161GLT98NED	GLT-S Nero / Black 95 ±5 Norsok M-710 (TR10-30°C)	DELTA 161.00X5.50X6.50	DN 6"=Seats for Valves / Soft insert seats / Elasthomeric Delta-Ring with a hardness of 98 Sh
PDELT060168GLT98NED	GLT-S Nero / Black 95 ±5 Norsok M-710 (TR10-30°C)	DELTA 168.00X5.50X6.50	DN 6"=Seats for Valves / Soft insert seats / Elasthomeric Delta-Ring with a hardness of 98 Sh
PDELT080220GLT98NED	GLT-S Nero / Black 95 ±5 Norsok M-710 (TR10-30°C)	DELTA 220.00X5.50X6.50	DN 8"=Seats for Valves / Soft insert seats / Elasthomeric Delta-Ring with a hardness of 98 Sh
PDELT100270GLT98NED	GLT-S Nero / Black 95 ±5 Norsok M-710 (TR10-30°C)	DELTA 270.00X5.50X6.50	DN 10"=Seats for Valves / Soft insert seats / Elasthomeric Delta-Ring with a hardness of 98 Sh
PDELT120320GLT98NED	GLT-S Nero / Black 95 ±5 Norsok M-710 (TR10-30°C)	DELTA 320.00X5.50X6.50	DN 12"=Seats for Valves / Soft insert seats / Elasthomeric Delta-Ring with a hardness of 98 Sh

Code	Compound	Size (ID X h X c)	Note
PDEL120325GLT98NED	GLT-S Nero / Black 95 ±5 Norsok M-710 (TR10-30°C)	DELTA 325.00X5.50X6.50	DN 12"=Seats for Valves / Soft insert seats / Elastomeric Delta-Ring with a hardness of 98 Sh
PDEL140355GLT98NED	GLT-S Nero / Black 95 ±5 Norsok M-710 (TR10-30°C)	DELTA 355.00X5.50X6.50	DN 14"=Seats for Valves / Soft insert seats / Elastomeric Delta-Ring with a hardness of 98 Sh
PDEL160410GLT98NED	GLT-S Nero / Black 95 ±5 Norsok M-710 (TR10-30°C)	DELTA 410.00X5.50X6.50	DN 16"=Seats for Valves / Soft insert seats / Elastomeric Delta-Ring with a hardness of 98 Sh
PDEL180460GLT98NED	GLT-S Nero / Black 95 ±5 Norsok M-710 (TR10-30°C)	DELTA 460.00X7.00X7.80	DN 18"=Seats for Valves / Soft insert seats / Elastomeric Delta-Ring with a hardness of 98 Sh
PDEL200515GLT98NED	GLT-S Nero / Black 95 ±5 Norsok M-710 (TR10-30°C)	DELTA 515.00X7.00X7.80	DN 20"=Seats for Valves / Soft insert seats / Elastomeric Delta-Ring with a hardness of 98 Sh
PDEL220570GLT98NED	GLT-S Nero / Black 95 ±5 Norsok M-710 (TR10-30°C)	DELTA 570.00X7.00X7.80	DN 22"=Seats for Valves / Soft insert seats / Elastomeric Delta-Ring with a hardness of 98 Sh
PDEL240623GLT98NED	GLT-S Nero / Black 95 ±5 Norsok M-710 (TR10-30°C)	DELTA 623.00X7.00X7.80	DN 24"=Seats for Valves / Soft insert seats / Elastomeric Delta-Ring with a hardness of 98 Sh
PDEL260667GLT98NED	GLT-S Nero / Black 95 ±5 Norsok M-710 (TR10-30°C)	DELTA 667.00X7.00X7.80	DN 26"=Seats for Valves / Soft insert seats / Elastomeric Delta-Ring with a hardness of 98 Sh
PDEL280722GLT98NED	GLT-S Nero / Black 95 ±5 Norsok M-710 (TR10-30°C)	DELTA 722.00X7.00X7.80	DN 28"=Seats for Valves / Soft insert seats / Elastomeric Delta-Ring with a hardness of 98 Sh
PDEL280776GLT98NED	GLT-S Nero / Black 95 ±5 Norsok M-710 (TR10-30°C)	DELTA 776.00X7.00X7.80	DN 28"=Seats for Valves / Soft insert seats / Elastomeric Delta-Ring with a hardness of 98 Sh
PDEL300784GLT98NED	GLT-S Nero / Black 95 ±5 Norsok M-710 (TR10-30°C)	DELTA 784.00X7.00X7.80	DN 30"=Seats for Valves / Soft insert seats / Elastomeric Delta-Ring with a hardness of 98 Sh
PDEL300828GLT98NED	GLT-S Nero / Black 95 ±5 Norsok M-710 (TR10-30°C)	DELTA 828.00X7.00X7.80	DN 30"=Seats for Valves / Soft insert seats / Elastomeric Delta-Ring with a hardness of 98 Sh
PDEL320832GLT98NED	GLT-S Nero / Black 95 ±5 Norsok M-710 (TR10-30°C)	DELTA 832.00X7.00X7.80	DN 32"=Seats for Valves / Soft insert seats / Elastomeric Delta-Ring with a hardness of 98 Sh
PDEL340878GLT98NED	GLT-S Nero / Black 95 ±5 Norsok M-710 (TR10-30°C)	DELTA 878.00X7.00X7.80	DN 34"=Seats for Valves / Soft insert seats / Elastomeric Delta-Ring with a hardness of 98 Sh
PDEL360925GLT98NED	GLT-S Nero / Black 95 ±5 Norsok M-710 (TR10-30°C)	DELTA 925.00X7.00X7.80	DN 36"=Seats for Valves / Soft insert seats / Elastomeric Delta-Ring with a hardness of 98 Sh
PDEL380975GLT98NED	GLT-S Nero / Black 95 ±5 Norsok M-710 (TR10-30°C)	DELTA 975.00X10.82X12.00	DN 38"=Seats for Valves / Soft insert seats / Elastomeric Delta-Ring with a hardness of 98 Sh
PDEL401025GLT98NED	GLT-S Nero / Black 95 ±5 Norsok M-710 (TR10-30°C)	DELTA 1025.00X10.82X12.00	DN 40"=Seats for Valves / Soft insert seats / Elastomeric Delta-Ring with a hardness of 98 Sh
PDEL421080GLT98NED	GLT-S Nero / Black 95 ±5 Norsok M-710 (TR10-30°C)	DELTA 1080.00X10.82X12.00	DN 42"=Seats for Valves / Soft insert seats / Elastomeric Delta-Ring with a hardness of 98 Sh
PDEL421100GLT98NED	GLT-S Nero / Black 95 ±5 Norsok M-710 (TR10-30°C)	DELTA 1100.00X10.82X12.00	DN 42"=Seats for Valves / Soft insert seats / Elastomeric Delta-Ring with a hardness of 98 Sh
PDEL441138GLT98NED	GLT-S Nero / Black 95 ±5 Norsok M-710 (TR10-30°C)	DELTA 1138.00X10.82X12.00	DN 44"=Seats for Valves / Soft insert seats / Elastomeric Delta-Ring with a hardness of 98 Sh
PDEL481236GLT98NED	GLT-S Nero / Black 95 ±5 Norsok M-710 (TR10-30°C)	DELTA 1236.00X10.82X12.00	DN 44"=Seats for Valves / Soft insert seats / Elastomeric Delta-Ring with a hardness of 98 Sh

Code	Compound	Size (ID X h X c)	Note
PDELTA481242GLT98NED	GLT-S Nero / Black 95 ±5 Norsok M-710 (TR10-30°C)	DELTA 1242.00X10.82X12.00	DN 48"=Seats for Valves / Soft insert seats / Elastomeric Delta-Ring with a hardness of 98 Sh

DISCLAIMER NOTE

The above registered trade marks® belong to their respective owners. This document is electronically generated and is valid without signature. The information and data presented herein are, to the best of our knowledge, true and accurate. They are intended for use by persons having technical skill and their own discretion and risk; no warranty or guarantee, expressed or implied, is made and no liability is assumed in connection with any use of such information and data. Nothing herein shall be construed as a recommendation to infringe any existing patent or violate any applicable law. The distribution of this document is not monitored. This data sheet is not subject to an automatic update.