


# Automotive Powertrain


## Low Temperature Tecnoflon® Grades in Dexron® VI Automatic Transmission Fluid

Tecnoflon peroxide-cured fluoroelastomers offer a wide range of low temperature performance options while demonstrating outstanding resistance to transmission fluids, including the new General Motors factory fill automatic transmission fluid (ATF), Dexron VI (RDL-3434). The Tecnoflon peroxide-cured series of fluoroelastomers have your transmission sealing needs covered.

### Dexron VI Immersion, 1000h @ 150°C



### Temperature of Retraction, TR-10



For information contact your Solvay Solexis representative or:

**Europe**

Solvay Solexis S.p.A. (Italy)  
Tel: +39-02-3835-1  
Fax: +39-02-3835-2129  
Email: solvaysolexis.ita@solvay.com

**North America**

Solvay Solexis, Inc.  
Tel: +1-856-853-8119  
Fax: +1-856-853-6405  
Email: solvaysolexisinfo@solvay.com

**[www.solvaysolexis.com](http://www.solvaysolexis.com)**

To our actual knowledge, the information contained herein is accurate as of the date of this document. However, neither Solvay Solexis, Inc. nor any of its affiliates makes any warranty, express or implied, or accepts any liability in connection with this information or its use. This information is for use by technically skilled persons at their own discretion and risk and does not relate to the use of this product in combination with any other substance or any other process. This is not a license under any patent or other proprietary right. The user alone must finally determine suitability of any information or material for any contemplated use, the manner of use and whether any patents are infringed. This information gives typical properties only and is not to be used for specification purposes.

Trademarks and/or other Solvay Solexis, Inc. products referenced herein are either trademarks or registered trademarks of Solvay Solexis, Inc. or its affiliates.

Copyright 2007, Solvay Solexis, Inc. All Rights Reserved.

**SOLVAY**  
**Solexis**



a Passion for Progress®